Brain Research, 442 (1988) 407–409
Elsevier

Author Index

Aiko, Y., Hosokawa, S., Shima, F., Kato, M. and Kitamura, K., Alterations in local cerebral glucose utilization during electrical stimulation of the striatum and globus pallidus in rats, 43
Aitken, D.H., see Sarrieau, A., 157
Akaike, N., see Oyama, Y., 223
Akaike, T., Electrophysiological analysis of the trigemino-tecto-olivo-cerebellar (crus II) projection in the rat, 373
Akasu, T., see Nishimura, T., 399
Akiyama, M., see Kuo, C.-H., 147
Alvarez, F.J., Cervantes, C., Blasco, I., Villalba, R., Martinez-Murillo, R., Polak, J.M. and Rodrigo, J., Presence of calcitonin gene-related peptide (CGRP) and substance P (SP) immunoreactivity in intraepidermal free nerve endings of cat skin, 391
Aoki, E., Semba, R., Keino, H., Kato, K. and Kashiwamata, S., Glycine-like immunoreactivity in the rat auditory pathway, 63
Arita, H., Kogo, N. and Ichikawa, K., Locations of medullary neurons with non-phasic discharges excited by stimulation of central and/or peripheral chemoreceptors and by activation of nociceptors in cat, 1
Asai, M., Vindrola, O., Zubieta, M., Talavera, E. and Massarini, A., Diurnal variations of IR-Met-enkephalin in the brain of pentylenetetrazol-kindled rats, 81
Astic, L., see Cattarelli, M., 180

Bader, M.F., see Hamann, M., 287
Baldwin, B.A., see Kendrick, K.M., 171
Barberis, C., see Tribollet, E., 105
Bastiaensen, E., Miserez, B. and De Potter, W., Subcellular fractionation of bovine ganglion stellatum: co-storage of noradrenaline, Met-enkephalin and neuropeptide Y in large 'dense-cored' vesicles, 124
Berkenbosch, F. and Tilders, F.J.H., Effect of axonal transport blockade on corticotropin-releasing factor immunoreactivity in the median eminence of intact and adrenalectomized rats: relationship between depletion rate and secretory activity, 312
Biegon, A. and Israeli, M., Regionally selective increases in β-adrenergic receptor density in the brains of suicide victims, 199
Blasco, I., see Alvarez, F.J., 391
Boast, C.A., Gerhardt, S.C., Pastor, G., Lehmann, J., Etienne, P.E. and Liebman, J.M., The *N*-methyl-D-aspartate antagonists CGS 19755 and CPP reduce ischemic brain damage in gerbils, 345
Brailowsky, S., Kunimoto, M., Menini, C., Silva-Barrat, C., Riche, D. and Naquet, R., The GABA-withdrawal syndrome: a new model of focal epileptogenesis, 175
Brisson, P., see Roman, A., 33
Brody, M.J., see Grosskreutz, C.L., 363
Brotchi, J., see Schiffmann, S., 270
Burnstock, G., see Dhall, U., 335

Cain, D.P., see Ossenkopp, K.-P., 255
Callahan, P., Janik, J., Grandison, L. and Rabii, J., Morphine does not stimulate prolactin release during lactation, 214
Campistron, G., see Schiffmann, S., 270
Cattarelli, M., Astic, L. and Kauer, J.S., Metabolic mapping of 2-deoxyglucose uptake in the rat piriform cortex using computerized image processing, 180
Cervantes, C., see Alvarez, F.J., 391
Chan, W.C., see Sharma, T.R., 379
Chapman, C., see Kendrick, K.M., 171
Chapman, P.F., Steinmetz, J.E. and Thompson, R.F., Classical conditioning does not occur when direct stimulation of the red nucleus or cerebellar nuclei is the unconditioned stimulus, 97
Collin, J.P., see Roman, A., 33
Collins, R.C., see Santori, E.M., 261
Collins III, W.F., Davis, B.M. and Mendell, L.M., Modulation of EPSP amplitude during high frequency stimulation depends on the correlation between potentiation, depression and facilitation, 161
Contreras, P.C., see Thomas, J.W., 396
Cowen, T., see Dhall, U., 335
Csáky, Á., see Kiss, J., 23

Davis, B.M., see Collins III, W.F., 161
De Kloet, E.R., see Voorhuis, T.A.M., 139
De la Torre, J.C., Morassutti, D., Merali, Z., Fortin, T. and Richard, M., Associated norepinephrine loss following calcium-induced spinal paralysis, 297
Demol, S., see Roman, A., 33
De Potter, W., see Bastiaensen, E., 124
Desarmenien, M., see Hamann, M., 287
Desaulles, E., see Hamann, M., 287
Descarries, L., see Séquéla, P., 11
De Wied, D., see Voorhuis, T.A.M., 139
Dhall, U., Cowen, T., Haven, A.J. and Burnstock, G., Effect of oestrogen and progesterone on noradrenergic nerves and on nerves showing serotonin-like immunoreactivity in the basilar artery of the rabbit, 335
Dreifuss, J.J., see Tribollet, E., 105
Dubois-Dauphin, M., see Tribollet, E., 105
Dudek, F.E., see Gribkoff, V.K., 152
Dussaillant, M., see Sarrieau, A., 157

Etienne, P.E., see Boast, C.A., 345

Feder, H.H., see Johnson, A.E., 205
Feltz, P., see Hamann, M., 287
Fetz, E.E., see Komatsu, Y., 359
Flament-Durand, J., see Schiffmann, S., 270
Folkesson, R., see Sakurada, T., 191
Fortin, T., see De la Torre, J.C., 297

Geffard, M., see Schiffmann, S., 270
Gerhardt, S.C., see Boast, C.A., 345
Geula, C., Jarvie, P.A., Logan, T.C. and Slevin, J.T., Long-term enhancement of K^+-evoked release of L-glutamate in entorhinal kindled rats, 368
Gibbs, C.M. and Powell, D.A., Neuronal correlates of classi-

cally conditioned bradycardia in the rabbit: studies of the medial prefrontal cortex, 86
Gintzler, A.R., see Sharma, T.R., 379
Graff, D. and Grimmelikhuijzen, C.J.P., Isolation of <Glu-Ser-Leu-Arg-Trp-NH_2, a novel neuropeptide from sea anemones, 354
Grandison, L., see Callahan, P., 214
Gribkoff, V.K. and Dudek, F.E., The effects of excitatory amino acid antagonist kynurenic acid on synaptic transmission to supraoptic neuroendocrine cells, 152
Grimmelikhuijzen, C.J.P., see Graff, D., 354
Grosskreutz, C.L. and Brody, M.J., Regional hemodynamic responses to central administration of corticotropin-releasing factor (CRF), 363
Guyenet, P.G., see Sun, M.-K., 229

Haas, H.L., see Reiner, P.B., 166
Hackett, J.T., see Sun, M.-K., 229
Halász, B., see Kiss, J., 23
Hamann, M., Desarmenien, M., Desaulles, E., Bader, M.F. and Feltz, P., Quantitative evaluation of the properties of a pyridazinyl GABA derivative (SR 95531) as a $GABA_A$ competitive antagonist. An electrophysiological approach, 287
Hardin, J.C., see Kostrzewa, R.M., 321
Hattori, T., see Takada, M., 72
Haven, A.J., see Dhall, U., 335
Heimrich, B., see Reiner, P.B., 166
Henke, P.G., see Ray, A., 195
Hood, W.F., see Thomas, J.W., 396
Hosokawa, S., see Aiko, Y., 43
Hruska, R.E. and Nowak, M.W., Estrogen treatment increases the density of D_1 dopamine receptors in the rat striatum, 349

Ichikawa, K., see Arita, H., 1
Inoue, Y., see Terashima, Y., 305
Israeli, M., see Biegon, A., 199

Jacobowitz, D.M., see Kostrzewa, R.M., 321
Janik, J., see Callahan, P., 214
Jard, S., see Tribollet, E., 105
Jarvie, P.A., see Geula, C., 368
Johnson, A.E., Nock, B., McEwen, B.S. and Feder, H.H., α_1- and α_2-noradrenergic receptor binding in guinea pig brain: sex differences and effects of ovarian steroids, 205

Kashiwamata, S., see Aoki, E., 63
Katada, T., see Terashima, T., 305
Kato, K., see Aoki, E., 63
Kato, M., see Aiko, Y., 43
Kauer, J.S., see Cattarelli, M., 180
Keino, H., see Aoki, E., 63
Keller, F., see Reiner, P.B., 166
Kendrick, K.M., Keverne, E.B., Chapman, C. and Baldwin, B.A., Microdialysis measurement of oxytocin, aspartate, γ-aminobutyric acid and glutamate release from the olfactory bulb of the sheep during vaginocervical stimulation, 171
Keverne, E.B., see Kendrick, K.M., 171
Kisara, K., see Sakurada, T., 191
Kiss, J., Csáky, Á. and Halász, B., Demonstration of serotoninergic axon terminals on somatostatin-immunoreactive neurons of the anterior periventricular nucleus of the rat hypothalamus, 23
Kiss, J.Z., see Voorhuis, T.A.M., 139
Kitamura, K., see Aiko, Y., 43
Kogo, N., see Arita, H., 1
Komatsu, Y., Nakajima, S., Toyama, K. and Fetz, E.E., Intracortical connectivity revealed by spike-triggered averaging in slice preparations of cat visual cortex, 359
Kostrzewa, R.M., Hardin, J.C. and Jacobowitz, D.M., Destruction of cells in the midportion of the locus coeruleus by a dorsal bundle lesion in neonatal rats, 321
Kunimoto, M., see Brailowsky, S., 175
Kunos, G., see Mosqueda-Garcia, R., 119
Kuo, C.-H., Tamotsu, S., Morita, Y., Shinozawa, T., Akiyama, M. and Miki, N., Presence of retina-specific proteins in the lamprey pineal complex, 147

Lai, H., Effects of repeated exposure to white noise on central cholinergic activity in the rat, 403
Lal, S., see Sarrieau, A., 157
Lauritzen, M., see Okada, Y.C., 185
Lehmann, J., see Boast, C.A, 345
Liebman, J.M., see Boast, C.A., 345
Logan, T.C., see Geula, C., 368
Lonati-Galligani, M., Hypothalamus, frontal cortex and lymphocyte β_2-adrenergic receptors in acute and chronic starvation in rat, 329

MacKay, W.A., Unit activity in the cerebellar nuclei related to arm reaching movements, 240
Madison, D.V. and Nicoll, R.A., Norepinephrine decreases synaptic inhibition in the rat hippocampus, 131
Maley, B.E. and Panneton, W.M., Enkephalin-immunoreactive neurons in the nucleus tractus solitarius project to the parabrachial nucleus of the cat, 340
Martinez-Murillo, R., see Alvarez, F.J., 391
Mascetti, G.G. and Strozzi, L., Visual cells in the inferior colliculus of the cat, 387
Massarini, A., see Asai, M., 81
McEwen, B.S., see Johnson, A.E., 205
Meaney, M.J., see Sarrieau, A., 157
Mendell, L.M., see Collins III, W.F., 161
Menini, C., see Brailowsky, S., 175
Merali, Z., see De la Torre, J.C., 297
Miki, N., see Kuo, C.-H., 147
Miserez, B., see Bastiaensen, E., 124
Monahan, J.B., see Thomas, J.W., 396
Morassutti, D., see De la Torre, J.C., 297
Morita, Y., see Kuo, C.-H., 147
Mosqueda-Garcia, R. and Kunos, G., Peripheral opiate receptors are not involved in the naloxone-sensitive cardiovascular effects of clonidine in rats, 119

Nakajima, S., see Komatsu, Y., 359
Nakayama, S., see Takaki, M., 351
Naquet, R., see Brailowsky, S., 175
Nicholson, C., see Okada, Y.C., 185
Nicoll, R.A., see Madison, D.V., 131
Nishihama, C.C., see Takada, M., 72
Nishihama, M.S., see Takada, M., 72
Nishimura, T., Tokimasa, T. and Akasu, T., 5-Hydroxytryptamine inhibits cholinergic transmission through $5\text{-}HT_{1A}$ receptor subtypes in rabbit vesical parasympathetic ganglia, 399
Nock, B., see Johnson, A.E., 205
Nowak, M.W., see Hruska, R.E., 349

O'Donohue, T.L., see Thomas, J.W., 396
Oinuma, M., see Terashima, T., 305
Okada, Y.C., Lauritzen, M. and Nicholson, C., Magnetic field associated with spreading depression: a model for the detection of migraine, 185
Olivier, A., see Sarrieau, A., 157
Olmstead, C.E. and Villablanca, J.R., Maturation of pyrogen-elicited fever in the kitten, 279
Ossenkopp, K.-P. and Cain, D.P., Inhibitory effects of acute exposure to low-intensity 60-Hz magnetic fields on electrically kindled seizures in rats, 255
Oyama, Y., Sadoshima, J.-I., Tokutomi, N. and Akaike, N., Some properties of inhibitory action of lidocaine on the Ca^{2+} current of single isolated frog sensory neurons, 223

Panneton, W.M., see Maley, B.E., 340
Pasteels, B., see Roman, A., 33
Pastor, G., see Boast, C.A., 345
Piront, M.-L. and Schmidt, R., Inhibition of long-term memory formation by anti-ependymin antisera after active shock-avoidance learning in goldfish, 53
Pochet, R., see Roman, A., 33
Polak, J.M., see Alvarez, F.J., 391
Powell, D.A., see Gibbs, C.M., 86

Quirion, R., see Sarrieau, A., 157

Rabii, J., see Callahan, P., 214
Ray, A., Henke, P.G. and Sullivan, R.M., Opiate mechanisms in the central amygdala and gastric stress pathology in rats, 195
Reiner, P.B., Heimrich, B., Keller, F. and Haas, H.L., Organotypic culture of central histamine neurons, 166
Richard, M., see De la Torre, J.C., 297
Riche, D., see Brailowsky, S., 175
Rodrigo, J., see Alvarez, F.J., 391
Roman, A., Brisson, P., Pasteels, B., Demol, S., Pochet, R. and Collin, J.P., Pineal–retinal molecular relationships; immunocytochemical evidence of calbindin-27 kDa in pineal transducers, 33
Rostène, W.H., see Sarrieau, A., 157

Sadoshima, J.-I., see Oyama, Y., 223
Sakurada, S., see Sakurada, T., 191
Sakurada, T., Takahashi, K., Sakurada, S., Kisara, K., Folkesson, R. and Terenius, L., Enkephalins interact with substance P-induced aversive behaviour in mice, 191
Santori, E.M. and Collins, R.C., Effects of chronic cortical seizures on GABA and benzodiazepine receptors within seizure pathways, 261
Sapolsky, R.M., see Sarrieau, A., 157
Sarrieau, A., Dussaillant, M., Sapolsky, R.M., Aitken, D.H., Olivier, A., Lal, S., Rostène, W.H., Quirion, R. and Meaney, M.J., Glucocorticoid binding sites in human temporal cortex, 157
Schiffmann, S., Campistron, G., Tugendhaft, P., Brotchi, J., Flament-Durand, J., Geffard, M. and Vanderhaeghen, J.-J., Immunocytochemical detection of GABAergic nerve cells in the human temporal cortex using a direct γ-aminobutyric acid antiserum, 270
Schmidt, R., see Piront, M.-L., 53
Semba, R., see Aoki, E., 63
Séquéla, P., Watkins, K.C. and Descarries, L., Ultrastructural features of dopamine axon terminals in the anteromedial and the suprarhinal cortex of adult rat, 11
Sharma, T.R., Chan, W.C. and Gintzler, A.R., Effect of chronic naltrexone administration and its withdrawal on the regional activity of neurons that contain norepinephrine, dopamine and serotonin, 379
Shima, F., see Aiko, Y., 43
Shinozawa, T., see Kuo, C.-H., 147
Silva-Barrat, C., see Brailowsky, S., 175
Slevin, J.T., see Geula, C., 368
Steinmetz, J.E., see Chapman, P.F., 97
Strozzi, L., see Mascetti, G.G., 387
Sullivan, R.M., see Ray, A., 195
Sun, M.-K., Young, B.S., Hackett, J.T. and Guyenet, P.G., Reticulospinal pacemaker neurons of the rat rostral ventrolateral medulla with putative sympathoexcitatory function: an intracellular study in vitro, 229

Takada, M., Nishihama, M.S., Nishihama, C.C. and Hattori, T., Two separate neuronal populations of the rat subthalamic nucleus project to the basal ganglia and pedunculopontine tegmental region, 72
Takahashi, K., see Sakurada, T., 191
Takaki, M. and Nakayama, S., Effects of mesenteric nerve stimulation on the electrical activity of myenteric neurons in the guinea pig ileum, 351
Talavera, E., see Asai, M., 81
Tamotsu, S., see Kuo, C.-H., 147
Terashima, T., Katada, T., Oinuma, M., Inoue, Y. and Ui, M., Immunohistochemical analysis of the localization of guanine nucleotide-binding protein in the mouse brain, 305
Terenius, L., see Sakurada, T., 191
Thomas, J.W., Hood, W.F., Monahan, J.B., Contreras, P.C. and O'Donohue, T.L., Glycine modulation of the phencyclidine binding site in mammalian brain, 396
Thompson, R.F., see Chapman, P.F., 97
Tilders, F.J.H., see Berkenbosch, F., 312
Tokimasa, T., see Nishimura, T., 399
Tokutomi, N., see Oyama, Y., 223
Toyama, K., see Komatsu, Y., 359
Tribollet, E., Barberis, C., Jard, S., Dubois-Dauphin, M. and Dreifuss, J.J., Localization and pharmacological characterization of high affinity binding sites for vasopressin and oxytocin in the rat brain by light microscopic autoradiography, 105
Tugendhaft, P., see Schiffmann, S., 270

Ui, M., see Terashima, T., 305

Vanderhaeghen, J.-J., see Schiffmann, S., 270
Villablanca, J.R., see Olmstead, C.E., 279
Villalba, R., see Alvarez, F.J., 391
Vindrola, O., see Asai, M., 81
Voorhuis, T.A.M., Kiss, J.Z., De Kloet, E.R. and De Wied, D., Testosterone-sensitive vasotocin-immunoreactive cells and fibers in the canary brain, 139

Watkins, R.C., see Séquéla, P., 11

Young, B.S., see Sun, M.-K., 229

Zubieta, M., see Asai, M., 81